





WILD TROUT TRUST

Drought, Deer and Dogs:

An introduction to stresses upon Cambridgeshire chalkstreams

Rob Mungovan
WTT Conservation Officer

The Wild Trout Trust

"Inspiring and helping everyone to protect wild trout and their habitat."





Drought: the lost River Granta

How bad has it had to get?

29km of river lost!!





Drought: flow augmentation

20% of the water abstracted is used to keep the headwaters flowing!!





Drought: do our rivers ever recover from the last one?







Drought: silted-up rivers









Drought: more barriers to fish movement

In "normal" flows this bridge on the Rhee is largely passable.

Will we see "normal" flow

Bedford

Ouse

Great Ouse

return?





Drought: less habitat

The River Cam

The Cam Stream?

The Cam Brook?

The Cam Rivulet?

The Occasional Cam!!





Drought: fish under stress



Deer: how many can our countryside support?



Deer eat a *lot* of vegetation



River Shep RSPB Fowlmere

At least 25 crossings in ~800m

Or a crossing ~30m





River Shep RSPB Fowlmere





River Shep RSPB Fowlmere






Hoffer Brook






Byron's Pool fish pass channel





Byron's Pool fish pass channel





River Granta









River Granta










River Mel







What's the problem?

Aren't droughts natural?

Haven't deer always been around?

Haven't dogs always swum in rivers?







But trout are survivors if we give them a chance!







